



**FIGURE 1**

H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010



(a) HF etch, 200 X




(b) Barker's etch, 100 X

FIGURE 2

H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010

FIGURE 3


Corrosion potential profiles from braze and inner clad sides into core



H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010

Figure 4

Corrosion potential profile over entire thickness



H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010






FIGURE 5

H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010



**FIGURE 6**

H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010



**FIGURE 7**

H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010

Average Pit Depth vs. Fluid Velocity





Figure 8

H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010

Maximum Pit Depth vs. Fluid Velocity



H. Scott Goodrich et al.  
BRAZING SHEET AND METHOD  
37882-0010

Figure 9